

## LinHES - Bug # 872: folding at home service run script

|                     |   |                  |                 |
|---------------------|---|------------------|-----------------|
| <b>Status:</b>      | Closed  | <b>Priority:</b> | Normal          |
| <b>Author:</b>      | jams  | <b>Category:</b> | Packages: Extra |
| <b>Created:</b>     | 12/02/2012  | <b>Assignee:</b> | jams            |
| <b>Updated:</b>     | 12/04/2012  | <b>Due date:</b> |                 |
| <b>Description:</b> | folding at home will continue to restart if the configuration is not correct.<br>Add a finish script to limit the number of times it can restart in X amount of time before stopping. |                  |                 |

### Associated revisions

#### 12/04/2012 01:43 pm - jams

runit-scripts: move folding\_at\_home scripts to runitscripts

Configuration of FAH was moved to the run script so it no longer needs or uses config.xml

However if /etc/fah-config.xml is present it will use it and skip using values from /etc/systemconfig

refs #872

#### 12/04/2012 01:43 pm - jams

foldingathome: updated client to v7

refs #872

### History

#### 12/04/2012 01:28 pm - jams

- *Category set to Packages: Extra*

- *Status changed from New to Closed*

folding at home is now configured inside the runit script

Also if fah fails to start more then 3 times in 20 seconds the service is disabled.